Technical support: +44 (0) 333 202 6800 Date Published: 14-Nov-2025

Version: 25318

# Visqueen Vapour Check

#### Features & benefits

- · Used within floor, wall and roof constructions
- Large format rolls rapid installation
- Semi-transparent stud locations visible through membrane

### Product description

Visqueen Vapour Check is a green tinted, semi-transparent polyethylene air and vapour control layer (AVCL). The membrane is supplied in multi folded rolls, 2.45m x 50m and 4m x 50m.

## Approvals and standards

- · Air leakage tested to BS EN 1026:2016
- UKCA UKNI CE to EN 13984:2013
- Visqueen certified with Quality Management System ISO 9001:2015
- Visqueen certified with Occupational Health and Safety System ISO 45001:2018
- Visqueen certified with Environmental Management System ISO 14001:2015

## Usage

Visqueen Vapour Check is an air and vapour control layer (AVCL) and is used in low condensation risk buildings to reduce the risk of interstitial condensation occurring within the structure as well as improving the airtightness of the building.

The membrane restricts the passage of warm, moist air within the building from permeating into the floor, wall or roof structure.

The membrane is designed to be installed to the warm side of floors, walls and roofs.

#### System components

- VisqueenPro Vapour Edge Tape, 150mm x 15m
- Visqueen FR Double Sided Vapour Tape, 20mm x 50m
- Visqueen FR Single Sided Vapour Tape, 50mm x 50m

#### Storage and handling

Visqueen Vapour Check should be stored horizontally, under cover in its original packaging.

Care should be taken when handling the product in line with current manual handling regulations.

## **Preparation**

When bonding Visqueen Vapour Check to the substrate, e.g. timber or metal stubs, the surface should be smooth, clean, dry and free from dust or sharp protrusions.

The membrane can be cut with a sharp retractable safety knife or robust scissors.

### Installation

Visqueen Vapour Check should be installed in accordance with the recommendations of BS 5250:2021 Management of moisture in buildings - code of practice. The membrane should be installed on the warm side of the insulated structure, with care being taken to ensure that all laps, penetrations and abutments are sealed. The membrane should be continuous in order to ensure optimum air tightness and vapour control performance.

Apply Visqueen FR Double Sided Vapour Tape to securely bond the membrane to structural components, including vertical study, horizontal noggins, head plates, and sole plates. Progressively peel off the tape release film and apply the membrane ensuring adhesion e.g. with a seam roller. This tape contributes to maintaining the integrity of the air and vapour control layer by reducing the potential for air and vapour leakage following the mechanical installation of plasterboard or construction board over the membrane.

All joints in the membrane should be lapped by a minimum of 75mm and sealed with Visqueen FR Single Sided Vapour Tape applied equidistant over the lap. To aid formation laps should be made over a solid substrate.

Ensure membrane continuity at the junction of horizontal and vertical substrates. Seal abutments with VisqueenPro Vapour Edge Tape applied centrally over the junction. Failure to suitably connect the membrane to other building elements will severely reduce vapour control performance.

Ensure the membrane is not damaged in service due to residual heat from light fittings. The barrier should not be subjected to gravity forces (unsupported) such as on the underside of roof decks or the underside of floor structures, and should be suitably mechanically secured to ensure that it remains in position during service.

Technical support: +44 (0) 333 202 6800 Date Published: 14-Nov-2025

Version: 25318

# Visqueen Vapour Check

Visqueen air and vapour control layers (AVCLs) require permanent mechanical fixing, normally achieved by overboarding the AVCL with a plasterboard or other construction board.

## Usable temperature range

It is recommended that Visqueen Vapour Check and all associated system components should not be installed below 0°C.

#### **Additional information**

Care should be taken to prevent the AVCL from becoming punctured, stretched or displaced when installing plasterboard or other construction board over the installed AVCL.

The information in this datasheet was correct at the time of publication. It is the user's responsibility to obtain the latest version of the datasheet as it is updated on a regular basis. The information contained in the latest datasheet supersedes all previously published editions.

| Property                              | Test method            | Units                | Compliance<br>criteria | Result    |
|---------------------------------------|------------------------|----------------------|------------------------|-----------|
| Visible defects                       | BS EN 1850 -2          | -                    | Pass/Fail              | Pass      |
| Length                                | BS EN 1848-2           | m                    | -10%/+10%              | 50        |
| Width                                 | BS EN 1848-2           | m                    | -2.5%/+2.5%            | 2.45 or 4 |
| Thickness                             | BS EN 1849-2           | mm                   | -12%/+12%              | 0.125     |
| Tensile strength - MD                 | BS EN 12311            | N/mm²                | MLV                    | 13        |
| Tensile strength - CD                 | BS EN 12311            | N/mm²                | MLV                    | 13        |
| Tensile elongation - MD               | BS EN 12311            | %                    | MLV                    | 400       |
| Tensile elongation - CD               | BS EN 12311            | %                    | MLV                    | 400       |
| Joint Strength                        | BS EN 12317-2          | N                    | MLV                    | 80        |
| Watertightness to 2kPa for 24 hours   | BS EN 1928             | -                    | Pass/Fail              | Pass      |
| Resistance to impact                  | BS EN 12691            | mm                   | MLV                    | 200       |
| Resistance to tearing (nail shank) CD | BS EN 12310-1          | N                    | MDV                    | 70        |
| Resistance to tearing (nail shank) MD | BS EN 12310-1          | N                    | MDV                    | 70        |
| Flexibility at low temperature        | BS EN 1109             | °C                   | MDV                    | -15       |
| Water vapour resistance               | BS EN 1931             | MNs/g                | MDV                    | 373       |
| Water vapour permeability             | BS EN 1931             | g/m²/d               | MDV                    | 0.48      |
| Water vapour resistance factor        | BS EN 1931<br>method B | μ                    | MDV                    | 574,000   |
| Equivalent air layer thickness Sd     | BS EN 1931             | m                    | MDV                    | 75        |
| Air leakage                           | BS EN 1026:2016        | m³/h/m² @ ±100<br>Pa | <5                     | 0         |

### Health and safety information

Refer to the Visqueen Vapour Check safety datasheet (SDS).

## **About Visqueen**

Visqueen is a leading provider of construction membrane technologies and design-based solutions for ground gas, structural waterproofing, damp proofing and fire protection.

We offer complete support at every stage of the specification, including the supply chain process. As the UK's principal technical authority, we are best placed to ensure that the principal designer and contractor specify the most technically suited, durable, and competitive solution to guarantee their project is protected for the lifetime of the building.

Visqueen is at the forefront of advanced membrane technology and innovation in the construction industry, earning the trust and loyalty of specifiers throughout the UK and Europe

Technical support: +44 (0) 333 202 6800 Date Published: 14-Nov-2025

Version: 25318

# Visqueen Vapour Check

For more information, visit visqueen.com or contact our sales office at ±44 (0) 333 202 6800 or enquiries@visqueen.com

## **Complete Range, Complete Solution**















Passive Fire Protection

Gas Protection

Damp Proof Membrane

Air and Vapor Control

Stormwater

Damp Proof Course

Temporary Protection

## **Visqueen Technical Support**

Visqueen offer a comprehensive full nationwide technical support. Our team of CSSW qualified technical support managers provide on site design-based solutions for specifiers, contractors and builders merchants, and will ensure that from design stage to installation the project is fully risk assessed and the specification is approved by all stakeholders.

Our Technical Office, can design, prepare and manage CAD detailing, together with assisting in quantity take offs, while offering advice on technical installations and product selection.

## **Competency & Design**

Visqueen promotes competency in building design by ensuring that its technical team possesses the necessary skills, knowledge, experience, and ethical practices. The company adopts the "golden thread of information," ensuring all project data is digitally secure and accessible throughout a building's lifecycle. This approach aligns with the Building Safety Act and aims to foster accountability and compliance with evolving regulations, providing clients with confidence in the safety and reliability of their projects.

## **Visqueen CPD Seminars**

Visqueen's CPD Seminars offer insights into Building Regulations, Standards, and industry guidance related to damp proofing, hazardous ground gas protection, and structural waterproofing. These one-hour seminars are tailored for construction design professionals and delivered by our Technical Support Managers. Visit our website to book a free CPD.

# **Visqueen Contract Design Services**

Visqueen Contract Design Services offers a bespoke design service led by our team of Certified Surveyors in Structural Waterproofing (CSSW), providing experienced and specialised waterproofing design expertise for complex projects. We provide comprehensive support throughout the entire project, ensuring that all work meets the requirements of warranty providers and adheres to the highest standards of quality, reliability and current legislation.

## Visqueen Training Academy

Based at our Derbyshire facility, the Visqueen Training Academy offers a variety of training programs across the UK. These include one-day product awareness sessions for distributors and builders' merchants, and intensive twoday courses for hands-on product installation training. Contact us for more information.