


Acrylic Tapes	<p style="text-align: center;"><b>Safety Data Sheet</b>  <b>Date prepared 01/03/2021</b>  <b>Date revised 19/08/2024</b></p>	
---------------	--	---

---

## 1. Identification of the substance

---

Trade Names:       Visqueen FR Double Sided Vapour Tape  
Visqueen FR Single Sided Vapour Tape  
Visqueen NF-60 Lap Tape  
VisqueenPro Single Sided Tape

Description:       Acrylic adhesive tapes

Company:           Berry bpi t/a Visqueen  
Heanor Gate Industrial Estate  
Derbyshire  
UK  
DE75 7RG

Telephone:         +44 (0) 333 202 6800  
Email:               enquiries@visqueen.com

---

## 2. Hazard Identification

---

Not applicable section. Based on its composition, this article is not classified as hazardous according to CE n°1272/2008.

### 2.1 Physical / chemical hazards, fire and explosion hazards.

Low risk level. The product can burn only in presence of free flames; fire would be combined with fumes, which can cause eye-watering and asphyxia.

If the product is handled with care and common sense, there are no manifest problems related to its use.

Other hazards: not known.

---

## 3. Composition/ Information on Components

---


Products are considered “articles” in accordance with REACH (Reg. CE n°1907/2006) and according to CLP (Reg. CE n°1272/2008).

**Carrier:**           Polyethylene film (see SDS Visqueen Polyethylene and Flame Retardant Products)

**Liner:**             Paper, PE coated paper or Polyethylene film

**Adhesive:**       Hot melt, acrylic (water or solvent based)

More details of components are explained on product technical data sheet.

Acrylic Tapes	<p style="text-align: center;"><b>Safety Data Sheet</b>  <b>Date prepared 01/03/2021</b>  <b>Date revised 19/08/2024</b></p>	
---------------	--	---

---

#### 4. Emergency & First Aid Procedures

---

**Inhalation:** Not applicable under normal use conditions.  
In case of fire proper protection of respiratory system should be used; if necessary ask for medical assistance.

**Skin contact:** In case of individual hypersensitivity wash with neutral detergent (soap) and ask for medical assistance.

**Eye contact:** No precaution is required by standard use.

Severe symptoms and side effects not known.

---

#### 5. Fire Fighting Measures

---

**Firefighting procedures:** Use water sprays to cool down the surfaces exposed to fire and to protect personnel. Use self-contained breathing apparatus in closed rooms, avoid breathing combustion fumes, considering the possible development of pyrolysis hazard products.

**Exinction media:** Powder or CO2 extinguisher  
Water spray

---

#### 6. Accidental Release Measures

---

Not applicable.

---

#### 7. Handling & Storage

---

Keep away from heat and sources of ignition. Goods should be stored in closed packaging. Keep in cool, well ventilated place. Keep away from direct sunlight.

**Storage temperature:** Room temperature (23±2°C)


**Transport temperature:** Room temperature (23±2°C)

---

#### 8. Personal Protection

---

Not applicable.

Acrylic Tapes	<p style="text-align: center;"><b>Safety Data Sheet</b>  <b>Date prepared 01/03/2021</b>  <b>Date revised 19/08/2024</b></p>	
---------------	--	---

---

## 9. Physical & Chemical Properties

---

**Physical state:** Solid

**Colour:** Various

**Odour:** Slightly odorous

**Melting point:** Not applicable

**Boiling point:** Not applicable

**Solubility in water:** Not applicable

**Solubility in solvents:** Insoluble, partly soluble, soluble, adsorbent depending on solvent type.

---

## 10. Stability & Reactivity

---

During standard use hazard reactions or breakdown will not occur. Avoid direct sunlight. Keep away from heat and sources. Do not inhale combustion fumes.

---

## 11. Toxicology Information

---

**Inhalation:** Not applicable

**Skin contact:** May cause individual hypersensitivity

**Eye contact:** To avoid

**Ingestion:** To avoid

---


## 12. Ecological Information

---

**Persistence and Degradability:** Low

**Potential Bioaccumulation:** Unknown

**Ground mobility:** Potential not known.

Acrylic Tapes	<p style="text-align: center;"><b>Safety Data Sheet</b>  <b>Date prepared 01/03/2021</b>  <b>Date revised 19/08/2024</b></p>	
---------------	--	---

---

### 13. Disposal Considerations

---

**Packaging:** When disposing of waste, observe all applicable national and local regulations. It is recommended to recycle and re-use packaging, carton core and wooden pallets in order to reduce environment foot print.

**Product:** Product disposal must be carried out in accordance with current regulation (DLgs 152/2006).

---

### 14. Transport Information

---

No restriction to transportation regulations has to be applied specifically for dangerous materials.

---

### 15. Regulatory Information

---

Specific health/safety/environment regulation: no specific labeling requirement according to CE guidelines.

REACH regulation (CE) Nr.1907/2006

Regulation (CE) N° 1272/2008

Legislative directive 98/24/CE Legislative directive 2000/39/CE

Legislative directive 75/324/CEE

Decision 2000/532/CEE

---

### 16. Other Information

---

Please refer to Visqueen technical literature and product installation guides for further information. These are available on the company website [www.visqueen.com](http://www.visqueen.com)

**Disclaimer**

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products. Visqueen shall not be held responsible for any defect in the product covered by this SDS should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.