Date prepared: 08/10/2024

Version 1



# 1. Identification of the Substance/Preparation and the Company/Undertaking

1.1 Product Identification: Visqueen Flame Retardant Polyethylene Membranes

Trade name:

Visqueen Class B FR Vapour Check

• Visqueen Flame Retardant Polythene Protection

1.2 Intended use Polyethylene based membranes with a flame retardant additive used for various

construction applications

1.3 Company/undertaking

name & address:

British Polythene Limited t/a Visqueen

Heanor Gate Industrial Estate

Heanor Derbyshire DE75 7RG

1.4 Emergency telephone: +44 (0) 333 202 6800

Email: enquiries@visqueen.com

### 2. Hazards Identification

2.1 Classification of substance: This product is not classified as dangerous, according to directive 1999/45/EC or

67/548/EEC (see section 15)

2.2 Labelling Not Required

2.3 Other hazards

Physical and chemical hazards

/ fire and explosion hazards: Polythene can burn when ignited (for example when exposed to an external heat

source)during the fire the polythene will melt and may generate drops that could

propagate the fire.

• Toxic gases will form upon combustion. see section 5 "firefighting measures".

• Decomposes. Flammable / toxic gases will form upon decomposition. see section 10 "stability and reactivity".

• Product can accumulate electrostatic charges when rubbed, chafed, or abraded. static discharge in the presence of volatile or flammable mixtures presents a potential fire or explosion hazard.

Date prepared: 08/10/2024

Version 1



### 3. Composition

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Polyethylene	9002-88-44	(100)	Not classified  Carc. 2, H351	
Flame Retardant Additive: Antimony Trioxide	CAS No: 1309-64-4 EC-No.: 215-175-0 REACH-no: 01-2119475613- 35	(10 – 25)		
Flame Retardant Additive: Benzene, 1,1'-(1,2-ethanediyl)bis-, nonabromo derivatives	CAS No: 137563-35-0	(1 – 5)	Aquatic Chronic 4, H413	

### 4.1 First Aid Measures

Inhalation: In case of adverse exposure to vapours and / or aerosols formed at elevated

temperatures, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. keep at rest. call for prompt medical

attention.

Skin: Not applicable under normal working conditions.

For hot product, immediately immerse in or flush the affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention. No attempt should be made to remove material from skin or to remove contaminated clothing, as the damaged flesh is easily torn.

Ingestion: Forst aid is not normally required.

Eye contact: This product is an inert solid. if in eye, remove as one would any foreign object.

### 5. Fire Fighting Measures

5.1 Fire extinguish methods: Water spray, extinguishing powder, foam, carbon dioxide

5.2 Fire-fighting procedures: Use suitable extinguishing media to cool fire, exposed surfaces and to protect

personnel. block the supply to the fire.

extinguish the fire by cooling.

all unprotected personnel must leave the area immediately.

Advice for firefighters: Respiratory and eye protection required for firefighting personnel.

see section 3 "first aid measures" and 9 "stability and reactivity".

5.3 Fire related hazards: Under oxygen lean condition, carbon monoxide (co) and irritating smoke may be

produced which may contain soot and cracked products: aldehydes, ketones, hydrocarbons and volatile fatty acids additionally if flame retardants are present, hydrogen bromide or hydrochloric gases may be produced. if eva is present this can

form acetic acid (irritant).

Date prepared: 08/10/2024

Version 1



### 6. Accidental Release Measures

6.1 General information: Sweep up spilled material and place in suitable containers for recycle or disposal.

Consult an expert on disposal of recovered material and ensure conformity to local

disposal regulations.

See section 4 "first aid measures" and 10 "stability and reactivity".

# 7. Handling and Storage

7.1 Storage temperature (deg c):

Transport temperatures (deg c):

Loading/unloading temperature (deg c):

Viscosity (cst):

ambient

ambient

ambient

not applicable

Storage transport pressure (kpa): atmospheric

#### 7.2 Storage / handling, general notes:

- Do <u>not</u> handle or store near an open flame, sources of heat, or sources of ignition. protect material from direct sunlight.
- During processing material can accumulate static charges which may cause an electrical spark (ignition source). Use proper grounding procedures.
- Polythene may release volatiles (residual monomers, decomposition products, fumes,) during processing at varying levels depending on processing conditions (eg. temperature at sealing/cutting) most of these volatile products may readily ignite at ambient temperatures in contact with ignition sources. Local exhaust ventilation should be applied during processing to keep volatile product levels below the tlv value. care should be taken to eliminate all sources of ignition.
- Care should be taken when storing and handling this product. Apart from the specific nature of the polythene product, conditions such as humidity, sunlight and temperature have an influence on the products final properties. The main hazards are associated with handling, these are related to pallet stock slippage and fork truck manoeuvres which can cause injury to personnel, for manual handling please follow the manual handling operation regulation 1992.

# 8. Exposure Controls and Personal Protection

### 8.1 Engineering control measures / ventilation:

Local exhaust ventilation of process equipment may be needed to control exposures to below the recommended threshold exposure limit.

### General advice:

The use and choice of personal protection equipment is related to the hazard of the product, the workplace, and the way the product is handled.

### Skin protection:

Direct contact with skin does not normally lead to skin irritation. no precautions other than clean body covering clothing should be needed.

### Respiratory protection:

Product processing, heat sealing, or operation using blades or wires heated above 300 deg c may cause dust. To minimise risk of exposure to dust it is recommended that local exhaust ventilation system be fitted above the equipment and that the working area is properly ventilated

#### Hand protection:

Date prepared: 08/10/2024

Version 1



when handling this product when hot, it is recommended to wear thermal gloves for thermal protection.

#### Eve protection:

if there is a risk of exposure to dust eye protection should be worn. when handling this product hot, it is recommended to wear safety glasses and preferably a face shield to protect from splashes of hot material.

### 8.2 Environmental exposure controls:

see section 12.

### 9. Physical and Chemical Properties

9.1 Physical state: Sheet material in roll form. Various depending on pigment

Odour: Odourless 9.2 Other Information N/a

### 10. Stability and Reactivity

Conditions to avoid: Stable under normal handling and storage conditions.

Materials to avoid: Strong oxidizing agents, excess heat

Hazardous decomposition Carbon dioxide (co<sub>2</sub>), carbon monoxide (co), flammable hydrocarbons and fumes, if

flame retardants are present, hydrogen bromide (HBR) or hydrochloric (HCI) gases

may be produced. if eva is present acetic acid.may also be formed.

# 11. Toxicological Information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Antimony Trioxide (1309-64-4)	
LD50 oral rat	34600 mg/kg
LD50 dermal rat	> 8300 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l/4h
Skin corrosion/irritation :	Not classified

pH: not applicable

: Not classified

pH: not applicable: Not classified

Germ cell mutagenicity : Not classified : Suspected of causing cancer

Carcinogenicity : Suspected of causing cancer.

Antimony moxide (1309-04-4)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity :	Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

#### 11.2. Information on other hazards

No additional information available

Serious eye damage/irritation

Respiratory or skin sensitisation

Date prepared: 08/10/2024

Version 1



# 12. Ecological Information

This product is not classified as a volatile organic compound, according to the directive 99/13/EC.

Environmental degradability: No data avaiable

# 13. Disposal Considerations

General information: The following advices only applies to the product as supplied. combination with other

materials may well indicate another route of disposal.

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should in any case be taken to ensure

compliance with EC, national and local regulations.

Suitable routes of disposal of this product are incineration in appropriate incinerators

with energy recovery, disposal in landfills or appropriate recycling methods.

# 14. Transport Information

General information: Not regulated for Land, Inland waterways, sea or air transport.

### 15. Regulatory Information

Classification and labelling according to EEC directives classification/symbol: not regulated

Governing directive: dangerous substances directive 67/548/EC, as modified.

### 16. Other Information

This information is given in good faith, being based on the latest knowledge available to British Polythene Limited t/a Visqueen. No known relevant information has been omitted from this data sheet and the information provided is designed to enable the user to use the product safely. The user should not assume on the basis of the information provided in this data sheet that the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, contact Visqueen for further advice before the proposed application is undertaken.

Additional information is available on special request

Version	Reason for Re-issue	Date
001	Updated in new format	01/09/2018
002	Products added	20/05/2024
003		
004		

Date prepared: 08/10/2024 Version 1



005