

KEY TO MATERIALS :-

© Copyright reserved. This drawing may not be reproduced or amended without prior written permission.

1	Visqueen Ultimate RadonBlok 600.	6	Visqueen VX25 Waterstop.
2	Visqueen Pre Applied Membrane.	7	Visqueen Waterstop Mastic.
3	Visqueen Pile Cap Sealer.	8	Visqueen VX90 Waterstop.
4	Visqueen Ultimate Double Sided Tape.	9	Visqueen TreadGUARD 1500.
5	Visqueen Ultimate Lap Tape.		

Detail issued for Guidance Only. Designer's Approval Required.


Site construction sequencing should be assessed before the appropriate Visqueen Standard Detail is selected & approved by the Designer.

In order to develop a robust design for protecting a structure against groundwater, a Risk Assessment must be carried out in line with the guidance given in BS8102:2009.

The Designer may need to specify one or a combination of waterproofing measures.

All Visqueen materials must be installed in strict accordance with the manufacturer's instructions. Refer to the current Visqueen datasheets.

Do Not Scale - Use Figured Dimensions Only.



Standard Detail



www.visqueen.com

Scale : NTS

Date : Dec.2018

Drawing No : RADBLOK-18



**Typical Pile Detail - Ground Level
DPM - High Risk.**

VISQUEEN
0333 202 6800
www.visqueen.com
enquiries@visqueen.com